



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

C3 Labs, LLC DBA Evio Labs
1200 Fifth St. Suite 500, Berkeley, CA 94710

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2005

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical, Microbiological, and Non-Destructive Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President/Operations Manager

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:

June 1, 2018

Issue Date:

June 1, 2018

Expiration Date:

September 30, 2020

Accreditation No.:

99861

Certificate No.:

L18-256

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjilabs.com



Certificate of Accreditation: Supplement

C3 Labs, LLC DBA Evio Labs

1200 Fifth St. Suite 500, Berkeley, CA 94710
Contact Name: Lori Glauser Phone: (541) 633-4568

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Concentrates, Cannabis Plant Material, Cannabis Infused Products	Δ9-THC Δ8-THC THCA CBC CBD CBDA CBDV CBG CBGA CBN	SOP 40.020, SOP.T.40.023 (HPLC-DAD & HPLC-UV)	LOQ = 0.1 % w/w
		Residual Pesticides: Aldicarb Carbofuran Chlordane Chlorfenapyr Chlorpyrifos Coumaphos Daminozide DDVP (Dichlorvos) Dimethoate Ethoprop(hos) Etofenprox Fenoxycarb Fipronil Imazalil Methiocarb Methyl parathion Mevinphos Paclbutrazol Propoxur Spiroxamine Thiacloprid	SOP 40.050, 40.051 (LCMS/MS & GCMS/MS)	D.L. = 0.009 µg/g D.L. = 0.024 µg/g D.L. = 0.084 µg/g D.L. = 0.053 µg/g D.L. = 0.009 µg/g D.L. = 0.07 µg/g D.L. = 0.026 µg/g D.L. = 0.053 µg/g D.L. = 0.014 µg/g D.L. = 0.035 µg/g D.L. = 0.016 µg/g D.L. = 0.003 µg/g D.L. = 0.019 µg/g D.L. = 0.023 µg/g D.L. = 0.005 µg/g D.L. = 0.06 µg/g D.L. = 0.028 µg/g D.L. = 0.022 µg/g D.L. = 0.004 µg/g D.L. = 0.025 µg/g D.L. = 0.005 µg/g
		Residual Pesticides: Abamectin Acephate Acequinocyl Acetamiprid Azoxystrobin Bifenazate Bifenthrin Boscalid Captan Carbaryl Chlorantranilprole Clofentezine Cyfluthrin	SOP 40.050, 40.051 (LCMS/MS & GCMS/MS)	D.L. = 0.061 µg/g D.L. = 0.041 µg/g D.L. = 0.022 µg/g D.L. = 0.007 µg/g D.L. = 0.002 µg/g D.L. = 0.013 µg/g D.L. = 0.078 µg/g D.L. = 0.011 µg/g D.L. = 0.087 µg/g D.L. = 0.043 µg/g D.L. = 0.058 µg/g D.L. = 0.023 µg/g D.L. = 0.057 µg/g



Certificate of Accreditation: Supplement

C3 Labs, LLC DBA Evio Labs

1200 Fifth St. Suite 500, Berkeley, CA 94710
 Contact Name: Lori Glauser Phone: (541) 633-4568

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Concentrates, Cannabis Plant Material, Cannabis Infused Products	Residual Pesticides: Cypermethrin Diazinon Dimethomorph Etoxazole Fenhexamid Fenpyroximate Flonicamid Fludioxonil Hexythiazox Imidacloprid Kresoxim-methyl Malathion Metalaxyl Methomyl Myclobutanil Naled Oxamyl Pentachloronitrobenzene Permethrin Phosmet Piperonylbutoxide Prallethrin Propiconazole Pyrethrins Pyridaben Spinetoram Spinosad Spiromesifen Spirotetramat Tebuconazole Thiamethoxam Trifloxystrobin	SOP 40.050, 40.051 (LCMS/MS GCMS/MS)	D.L. = 0.06 µg/g D.L. = 0.022 µg/g D.L. = 0.023 µg/g D.L. = 0.011 µg/g D.L. = 0.004 µg/g D.L. = 0.005 µg/g D.L. = 0.057 µg/g D.L. = 0.049 µg/g D.L. = 0.02 µg/g D.L. = 0.031 µg/g D.L. = 0.036 µg/g D.L. = 0.02 µg/g D.L. = 0.009 µg/g D.L. = 0.011 µg/g D.L. = 0.034 µg/g D.L. = 0.015 µg/g D.L. = 0.013 µg/g D.L. = 0.044 µg/g D.L. = 0.041 µg/g D.L. = 0.017 µg/g D.L. = 0.021 µg/g D.L. = 0.035 µg/g D.L. = 0.064 µg/g D.L. = 0.014 µg/g D.L. = 0.009 µg/g D.L. = 0.017 µg/g D.L. = 0.019 µg/g D.L. = 0.05 µg/g D.L. = 0.025 µg/g D.L. = 0.017 µg/g D.L. = 0.068 µg/g D.L. = 0.02 µg/g
	Cannabis Plant Material	Water Testing: Moisture Content	SOP 40.010 (Moisture Meter)	D.L. = 1 %



Certificate of Accreditation: Supplement

C3 Labs, LLC DBA Evio Labs

1200 Fifth St. Suite 500, Berkeley, CA 94710
Contact Name: Lori Glauser Phone: (541) 633-4568

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Concentrates, Cannabis Infused Products	Residual Solvents: 1,2-Dichloroethane Benzene Chloroform Ethylene oxide Methylene chloride Trichloroethylene Acetone Acetonitrile Butane Ethanol Ethyl acetate Ethyl ether Heptane Hexane Isopropyl alcohol Methanol Pentane Propane Toluene Total xylenes (ortho-, meta-, para-)	SOP 40.030, 40.031 (GC/MS)	D.L. = 0.05 µg/g D.L. = 0.03 µg/g D.L. = 0.14 µg/g D.L. = 0.19 µg/g D.L. = 0.74 µg/g D.L. = 0.14 µg/g D.L. = 2.04 µg/g D.L. = 0.11 µg/g D.L. = 3 µg/g D.L. = 2.58 µg/g D.L. = 1.82 µg/g D.L. = 2.93 µg/g D.L. = 2.34 µg/g D.L. = 0.36 µg/g D.L. = 3.03 µg/g D.L. = 2.22 µg/g D.L. = 2.73 µg/g D.L. = 0.79 µg/g D.L. = 0.87 µg/g D.L. = 2.96 µg/g
Microbiological ^F	Cannabis Plant Material, Cannabis Infused Products	Bacterial Contamination Detection: Escherichia Coli Salmonella Aspergillus fumigatus, A. flavus, A. niger, A. terreus	SOP 40.043 (PCR)	Present/Absent
Non-Destructive ^F	Cannabis Plant Material	Foreign Material (Includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing)	SOP 40.013 (Stereo Microscope)	Pass/Fail

- The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer^F would mean that the laboratory performs this testing at its fixed location.